



Powered Tug | SmartMover® SM100+ The SM100+ is the only SmartMover® in the range to feature a hydraulic coupling point. A press of a button is all that is needed to engage the hydraulics, creating an unbreakable connection to the load. This, combined with the leveraged weight transfer system and 2 powerful drive motors makes it suitable for moving 1,200 kg loads, even on slopes. Other standard features include a battery monitoring system that tells you when a quick battery change is required.

Industries



KeyBenefits


1 year full guarantee


Battery monitoring system


ProductDimensions

- FEA tested steel chassis
- All steel covers

- 2 Drive motors
- Hydraulic coupling point
- Leveraged weight transfer







SafetyFeatures

See our website for full technical details



Anti-crush button



Warning horn



MaxLoadWeight

Support wheels for operator safety

See our website for full technical details



*"Maximum load weight" is only a recommendation that we arrive at by estimating rolling resistance. Your environment and wheel type may affect this figure which is why we carry out a detailed technical evaluation on every project. All of our calculations include a "safe work load" factor to ensure safe operation in all circumstances.

Product code	SM100+
Recommended load weight - Castors	1200 kg
Recommended load weight - Rails	4800 kg
Machine weight including battery	80 kg
Drive type	Electric DC
Parking brake	Electromagnetic
Drive wheel type	Puncture-proof, non-marking
Drive motor power	2 x 0.22 kW
Controller type	110 DC Permanent
Variable machine speed	0.1 km/h - 5 km/h
Ingress Protection	IP44

Battery options

Battery pack - sealed - 22Ah 24V - interchangeable

Charging options

Charger - external - 5A 24V - 85V-265V

Additional equipment

Option - forward facing LED
Option - roll cage pivot link bar - universal
Option - XrissXcross roll cage connection straps
Option - flashing safety light and motion bleeper
Male coupling options
Coupling - hydraulic - 50mm x 25mm (A frame)
Coupling - hydraulic - A frame and sunlight
Female coupling options
Coupling - adaptor - 50mm x 25mm - straight
Coupling - adaptor - 50mm x 25mm - angled

Coupling - adaptor - waste bin A frame

To arrange a demonstration, or for further information about our electric tug material handling solutions, please contact us

K AMP 2025/2b, 664 34 Kuřim, Czech Republic **Telephone Sales:** +420 721 187 768 **Email:** petr.cermak@smartsels.com **Website:** www.mastermover.com



AboutUs

Located in Derbyshire, the UK's manufacturing hub, MasterMover is a British business success story with customers all over the world.

Our products are relied upon by market leading organisations and global brands across a broad cross-section of industries including Aerospace, Automotive, Pharmaceutical, Retail and Healthcare.

